





It must have 0.30mm high space over pattern area



Specification

MATERIAL:

Insulator: High Temperature Thermoplastic,
Color Black, UL 94V-0.

Contact: Copper Alloy

Shell: Stainless Steel

PLATING:

Contact: Plated 50u" Ni Overall
Plated Au Selective Contact Area
Plated 100u" Sn Over Ni On Solder Area

Shell: Plated 50u" Ni Overall
Plated Au Selective Solder Area

Electrical:

Current Rating :0.5mA max.

Contact Resistance:100mΩ max.

Insulation Resistance:1000MΩ min./500VDC




Dielectric Withstanding Voltage:500VAC/1 minute

Operating Temperature:-25°C TO+85°C

Mating Cycles:6,000 Insertions

Usable Memory Card:



SD&MMC Card



深圳市华宇创精密电子有限公司

TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X.' ±2" X.X' ±0.5"	DRAWN BY : 陈一鸣	DATE : 2014-02-23	PART NAME: SD PUSH 带锁卡
	CHECKED BY: 马跃	DATE : 2014-02-23	PART NO. HXC24-SD11-290
	APPROVED BY: 邱国夷	DATE : 2014-02-23	DRAW NO: HXC-SD13200312
UNIT: mm [inch] SCALE:1:1 SIZE: A4			MOLD NO. SHEET NO. 1 OF 1

PIN ASSIGNMENT:







PIN NO.	MEMORY CARD PIN NO.
MMC&SD#1	MMC&SD#1 (CD/DAT3)
MMC&SD#2	MMC&SD#2 (CMD)
MMC&SD#3	MMC&SD#3 (VSS1)
MMC&SD#4	MMC&SD#4 (VDD)
MMC&SD#5	MMC&SD#5 (CLK)
MMC&SD#6	MMC&SD#6 (VSS2)
MMC&SD#7	MMC&SD#7 (DAT0)
SD#8	SD-8 (DAT1)
SD#9	SD-9 (DAT2)



深圳市华宇创精密电子有限公司

TOLERANCE: X.X ±0.30 X.XX ±0.25 X.XXX ±0.15 X' ±2" X.X' ±0.5"	DRAWN BY : 陈一鸣	DATE : 2014-02-23	PART NAME: SD PUSH 带锁卡
UNIT: mm [inch] SCALE:1:1 SIZE: A4	CHECKED BY: 马跃	DATE : 2014-02-23	PART NO. HVC24-SD11-290
	APPROVED BY: 邱国夷	DATE : 2014-02-23	MOLD NO.
			DRAW NO: HVC-SD13200312
			SHEET NO. 1 OF 1

SD CARD INSERT DRAWIGN:



深圳市华宇创精密电子有限公司

TOLERANCE:

X.X ±0.30

X.XX ±0.25

X.XXX ±0.15

X.* ±2° X.* ±0.5°



UNIT: mm [inch]

SCALE:1:1 SIZE: A4

DRAWN BY :

陈一鸣

DATE :

2014-02-23

CHECKED BY:

马跃

DATE :

2014-02-23

APPROVED BY:

邱国夷

DATE :

2014-02-23

PART NAME:

SD PUSH 带锁卡

PART NO.

HYC24-SD11-290

MOLD NO.

DRAW NO:

HYC-SD13200312

SHEET NO.

1 OF 1