





REV.	ECR/N NO./DESCRIPTION	DATE	DRAWN	CHECKED	APPROVE
1	SN21007	1/11'21	Chunyuan.Chen	Vito	Herch
1A	SN21***	02/05'21	Rover	Vito	Herch



THE TOP VIEW
WITHOUT COVER



NOTES:

1.MATERIAL:

- 1).HOUSING:HIGH TEMPERATURE THERMOPLASTIC,UL94V-0,BLACK.
- 2).COVER:HIGH TEMPERATURE THERMOPLASTIC,UL94V-0,BLACK.
- 3).CONTACT:COPPER ALLOY.
- 4).HOOK:STAINLESS STEEL

2.FINISH:

CONTACT:50u" Ni MIN,G/F Au ON CONTACT AND SOLDER AREA

3.RoHS COMPLIANT. HF COMPLIANT.

4.ELECTRICAL PERFORMANCE

CONTACT RESISTANCE:50mΩ MAX.

INSULATION RESISTANCE:1000MΩ MIN

5.MECHANICAL PERFORMANCE

DURABILITY:20 CYCLES

6.PRODUCT NUMBER NOTE

ASPIXXXX-XXXX X
 _____ PACKING TYPE
 _____ TYPE SERIAL NUMBER
 _____ P:HF COMPLIANT
 _____ PRODUCT SERIAL NUMBER
 _____ PRODUCT TYPE
 _____ FINISHED PRODUCT




TABLE1:

NO.	PRODUCT NO.	DESCRIPTION
1.	ASPI0002-P001A	BLACK,GOLD FLASH1u" MIN,HF

GENERAL TOLERANCES UNLESS SPECIFIED

.X ± 0.35	X.° ± 3°
.XX ± 0.25	.X.° ± 2°
.XXX ± 0.15	.XX.° ± 1°

CUSTOMER DRAWING

SIZE	UNITS
A4	MM

PART NO.
SEE TABLE1

APPROVED BY
Herch


CHECKED BY
Vito

DRAWN BY
Reber


LOTES


TITLE
SPI 8PIN WSON 8X6

DWG NO.
AP-ASPI0002



SHEET	SCALE	REV
1 / 3	4 : 1	1A







THE HEAD EMPTY 10 PCS
AND THE TAIL EMPTY 10 PCS

PRODUCT

SEE DETAIL "A"



PE BAG

CARTON

NOTES:
COMPONENT LOAD PER 15" REEL: 1300 PCS.

GENERAL TOLERANCES UNLESS SPECIFIED		PART NO. SEE TABLE	LOTES		
X ± 0.35	X.° ± 3°	APPROVED BY Herch	TITLE SPI 8PIN WSON 8X6		
XX ± 0.25	XX.° ± 2°	CHECKED BY Vito	DWG NO. AP-ASPI0002		
XXX ± 0.15	XXX.° ± 1°	DRAWN BY Reber			
SIZE A4	UNITS MM			SHEET 3 / 3	SCALE 1 : 1
				REV 1A	